
Table of contents

Revision 14
Date of issue 13.05.2022

Medical devices produced by RPC “Diagnostic Systems”, Ltd.

1. EIA DIAGNOSTICS

1.1. HEPATITIS B	2
1.2. HEPATITIS C	4
1.3. HEPATITIS D	6
1.4. HEPATITIS E	6
1.5. HIV	6
1.6. SYPHILIS	10
1.7. CHLAMYDIOSIS	12
1.8. HERPETIC INFECTIONS	12
1.9. TOXOPLASMOSIS	17
1.10 SARS	18
1.11. RUBELLA	19
1.12 TICK-BORNE ENCEPHALITIS	20
1.13. ALLERGY MARKERS	20
1.14. THYROID GLAND MARKERS	20
1.15. FERTILITY HORMONES AND PRENATAL SCREENING MARKERS	22
1.16. PITUITARY-ADRENAL SYSTEM HORMONES	23
1.17. TUMOR MARKERS	23

2. BACTERIOLOGY

2.1. ENTEROBACTERIA	24
2.2. STAPHYLOCOCCI	25
2.3. CORINEBACTERIA	25
2.4. NON-FERMENTATIVE BACTERIA	26

3. MYOCARDIAL INFRACTION EXPRESS DIAGNOSTICS	26
--	----

Medical devices produced by RPC “Diagnostic Systems”, Ltd.

1. EIA DIAGNOSTICS
1.1. HEPATITIS B
DS-EIA-HBsAg


Enzyme immunoassay for detection or confirmation of hepatitis B surface antigen	B – 1155/1.0	96 x 5
Sensitivity – 0.1 IU/ml (microplate incubator); 0.05 IU/ml (shaker); 0.01 IU/ml (microplate incubator, 37°C, 18 hours).	B – 1152/1.0	96 x 2
Shelf life – 24 months.	B – 1154/1.0	96
	B – 1156/1.0	48 (for confirmation)

DS-EIA-HBsAg-0.01


Enzyme immunoassay for detection and confirmation of hepatitis B surface antigen	B – 1255/1.1	96 x 5
Sensitivity – 0.01 IU/ml.	B – 1252/1.1	96 x 2
Shelf life – 24 months.	B – 1254/1.1	96
	B – 1256/1.1	48 (for confirmation)
		96 (for detection)
	B – 231/1.1	200

DS-ERYTHRO-HBsAg

Hemagglutination test for the detection of hepatitis B surface antigen	B - 431/1.0	200
Shelf life – 12 months.		

Product name	Catalogue code	Tests
		
DS-EIA-ANTI-HBsAg		
Enzyme immunoassay for qualitative and quantitative detection of antibodies to hepatitis B surface antigen	B – 551/1.1	96
Shelf life – 18 months.		
DS-EIA-ANTI-HBc		
Enzyme immunoassay for the detection of total antibodies to hepatitis B core antigen	B – 650/1.0	96 x 2
	B – 653/1.0	96
Shelf life – 12 months.		
EIA-ANTI-HBc-M-SCREEN		
Enzyme immunoassay for detection of IgM antibodies to hepatitis B core antigen	B – 753/1.0	96
Shelf life – 12 months.		
DS-EIA-ANTI-HBe		
Enzyme immunoassay for the detection of IgG antibodies to e-antigen of hepatitis B	B – 851/1.0	96
Shelf life – 12 months.		
DS-EIA-HBeAg		
Enzyme immunoassay for the detection and confirmation of hepatitis B e-antigen	B – 951/1.0	96
Shelf life – 12 months.		
DS-QA-HBsAg		
Control sample for internal laboratory quality assessment of EIA detection of HBsAg	B – 1431/1.0	24 vials 0,5 ml
Shelf life – 5 years.		

Product name	Catalogue code	Tests
DS-HBsAg-SS		
Standard sample of hepatitis B surface antigen	B – 0350/1.0	1 vial – standard sample 9 vials - negative samples
Shelf life – 5 years.		

1.2. HEPATITIS C

EIA-ANTI-HCV

Enzyme immunoassay for detection of antibodies to hepatitis C virus	C - 155/1.0	96 x 5
	C - 150/1.0	96 x 2
Shelf life – 24 months.	C - 153/1.0	96

DS-EIA-ANTI-HCV-AVIDITY

Enzyme immunoassay for the determination of the avidity index of anti-HCV antibodies (IgG)	C – 651/1.0	48
Shelf life – 12 months.		

EIA-ANTI-HCVc-M

Enzyme immunoassay for the detection of IgM antibodies to viral hepatitis C core antigen	C – 253/1.0	96
Shelf life – 24 months.		

EIA-ANTI-HCV-SPECTRUM-G

Enzyme immunoassay for the detection of IgG antibodies to individual proteins encoded by the hepatitis C virus	C – 351/1.0	24
Shelf life – 12 months.		

EIA-ANTI-HCV-SPECTRUM-M

Enzyme immunoassay for the detection of IgM antibodies to individual proteins encoded by the hepatitis C virus	C – 352/1.0	24
Shelf life – 12 months.		

Product name	Catalogue code	Tests
DS-EIA-ANTI-HCV-SPECTRUM-GM		
Enzyme immunoassay for the detection of IgG and IgM antibodies to individual proteins encoded by the hepatitis C virus	C – 455/1.0	24 x 5
	C – 451/1.0	24
Shelf life – 24 months.	C – 452/1.0	48
DS-EIA-HCV-AGAB		
Enzyme immunoassay for simultaneous detection of antigen and antibodies to hepatitis C virus (HCV)	C – 1954/1.0	96 x 5
	C – 1953/1.0	96 x 2
Shelf life – 13 months.	C – 1952/1.0	96
DS-EIA-HCV-AG		
Enzyme immunoassay for the detection of antigen of hepatitis C virus (HCV)	C–1962/1.0	96
Shelf life – 13 months.		
MilaLab-EIA-ANTI-HCV		
Enzyme immunoassay for detection of antibodies to hepatitis C virus	C – 2164/1.0	96 x 5
	C – 2163/1.0	96 x 2
Shelf life – 24 months.	C – 2162/1.0	96
MilaLab-EIA-HCV-AGAB		
Enzyme immunoassay for simultaneous detection of core-antigen and antibodies to hepatitis C virus	C – 2314/1.0	96 x 5
	C – 2313/1.0	96 x 2
	C – 2312/1.0	96
Shelf life – 18 months.		
DS-QA-ANTI-HCV		
Control sample for internal laboratory quality assessment of EIA detection of antibodies to hepatitis C virus	C – 731/1.0	24 vials 0,3 ml
Shelf life – 5 years.		

Product name	Catalogue code	Tests
DS-SP-ANTI-HCV Anti-HCV mixed titer performance panel Shelf life – 5 years.	C – 0380/1.0	20 vials of positive samples 8 vials of negative samples

1.3. HEPATITIS D

EIA-ANTI-HDV

Enzyme immunoassay for the detection of total antibodies to hepatitis Delta virus **D – 152/1.0** 96

Shelf life – 12 months.

1.4. HEPATITIS E

DS-EIA-ANTI-HEV-G



Enzyme immunoassay for the detection of IgG antibodies to hepatitis E virus **E – 151/1.1** 96

Shelf life – 15 months.

DS-EIA-ANTI-HEV-M



Enzyme immunoassay for the detection of IgM antibodies to hepatitis E virus **E – 152/1.1** 96

Shelf life – 15 months.

1.5. HIV

DS-EIA-ANTI-HIV-UNIF



Enzyme immunoassay for the detection of antibodies to human immunodeficiency viruses types 1 and 2 (HIV-1 and HIV-2) and HIV-1 group O **I – 155/1.1** 96 x 5

I – 150/1.1 96 x 2

Shelf life – 24 months. **I – 153/1.1** 96

Product name	Catalogue code	Tests
--------------	----------------	-------

DS-EIA-HIV-AG-SCREEN

Enzyme immunoassay for detection (confirmation) of antigen p24 of human immunodeficiency virus of 1 type (HIV-1)	I – 1452/1.0	96 (for detection) 48 (for confirmation)
Sensitivity – 0.5 pg/ml.		
Shelf life – 18 months.		

DS-EIA-HIV-AGAB-SCREEN



Enzyme immunoassay for simultaneous detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen p24 HIV-1	I – 1656/1.1	96 x 5
	I – 1652/1.1	96 x 2
	I – 1654/1.1	96
Sensitivity – 0.5 IU/ml.		
Shelf life – 24 months.		

DS-EIA-HIV-AGAB-SCREEN 2.0

Enzyme immunoassay for simultaneous detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen p24 HIV-1, version 2.0	I – 2324/1.0	96x5
	I – 2323/1.0	96x2
	I – 2322/1.0	96
Sensitivity – 10,0 pg/ml		
Shelf life – 24 months		

DS-EIA-HIV-AB/AG-SPECTRUM

Enzyme immunoassay for separate detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and p24 HIV-1 antigen	I – 751/1.0	16
Sensitivity – 5 pg/ml.		
Shelf life – 18 months.		

Product name	Catalogue code	Tests
DS-EIA-HIV-AG+AB		
Enzyme immunoassay for simultaneous detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen p24 HIV-1	I – 2655/1.0	96 x 5
	I – 2652/1.0	96 x 2
Sensitivity – 0.25 IU/ml.	I – 2654/1.0	96
Shelf life – 24 months.		
MilaLab-EIA-HIV-AGAB		
Enzyme immunoassay for detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen p24 HIV-1	I – 1872/1.0	96
	I – 1873/1.0	96 x 2
Sensitivity – 20 pg/ml.	I – 1874/1.0	96 x 5
Shelf life – 24 months.		
MilaLab-EIA-HIV-AG+AB		
Enzyme immunoassay for simultaneous detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen HIV-1 (p24)	I – 1882/1.0	96
	I – 1883/1.0	96 x 2
Sensitivity – 20 pg/ml.	I – 1884/1.0	96 x 5
Shelf life – 24 months.		
MilaLab-EIA-HIV-AGAB-EXPRESS 2.0		
Enzyme immunoassay for simultaneous detection of antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2), HIV-1 group O and antigen HIV-1 (p24), version 2.0	I-2332/1.0	96
	I-2332.1/1.0	
	I-2333/1.0	96x2
	I-2333.1/1.0	
Sensitivity 5,0 pg/ml (shaker) and 10,0 pg/ml (microplate incubator)	I-2334/1.0	96x5
	I-2334.1/1.0	
Shelf life – 24 months		

Product name	Catalogue code	Tests
MilaBlot-HIV		
Enzyme immunoassay for detection of antibodies to individual proteins of human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2) by line immunoblot	I – 2295/1.0	18
	I – 2296/1.0	24
	I – 2297/1.0	36
Shelf life – 12 months.		
DS-EIA-HIV-AB-TERM		
Enzyme immunoassay for detection of recent and late human immunodeficiency virus of 1 type and HIV-1 group O seroconversion	I – 2171/1.0	48
Shelf life – 12 months.		
DS-QA-HIV-Ag (p24)		
Control sample for internal laboratory quality assessment of EIA detection of HIV-Ag (p24)	I – 931/1.0	24 vials
Shelf life – 5 years.		
DS-QA-ANTI-HIV-1		
Control sample for internal laboratory quality assessment of EIA detection of antibodies to HIV-1	I – 831/1.0	24 vials
Shelf life – 5 years.		
Standard HIV-1 AB(+)		
Standard biological material positive for antibodies to human immunodeficiency virus of type 1 (HIV-1) in different concentrations	I – 1620/1.0	16 vials
Shelf life – 5 years.		
Standard HIV-2 AB(+)		
Standard biological material positive for antibodies to human immunodeficiency virus of type 2 (HIV-2)	I – 1970/1.0	8 vials
Shelf life – 5 years.		

Product name	Catalogue code	Tests
Standard HIV-1 AG p24 (+)	I – 1030/1.0	11 vials (Standard HIV-1 AG p24(+) – 1 vial, Reagent 1 – 10 vials)
Standard biological material positive for p24 antigen of human immunodeficiency virus of type 1 (HIV-1)		
Shelf life – 5 years.	I-1032.2/1.0	10 vials (Standard HIV-1 AG p24(+) in different concentrations)

Standard HIV-1,2 AB(-), HIV-1 AG p24 (-)

Standard panel of samples negative for antibodies to human immunodeficiency viruses of 1 and 2 types (HIV-1 and HIV-2) and antigen p24 HIV-1

I – 1610/1.0 20 vials

Shelf life – 5 years.

1.6. SYPHILIS

EIA-ANTI-LUES-GM



Enzyme immunoassay for detection of *Treponema pallidum* specific IgG and IgM antibodies

L – 156/1.1 96 x 5
L – 154/1.1 96 x 2
L – 155/1.1 96

Shelf life – 16 months.

EIA-ANTI-LUES-G

Enzyme immunoassay for detection of *Treponema pallidum* specific IgG antibodies

L – 153/1.0 96

Shelf life – 12 months.

Product name	Catalogue code	Tests
EIA-ANTI-LUES-M		
Enzyme immunoassay for detection of <i>Treponema pallidum</i> specific IgM antibodies	L – 253/1.0	96
Shelf life – 12 months.		
LUES-TEST (L-331/1.0, L-332/1.0 - analogues of RPR-test)		
A non-treponemal flocculation test for the detection of reagin antibodies in human serum and plasma	L – 331/1.0	500
	L – 332/1.0	500
Shelf life – 18 months.	L – 338/1.0	1000
DS-TPHA-ANTI-LUES		
Hemagglutination test for the determination of <i>Treponema pallidum</i> specific antibodies in human serum	L – 431/1.0	100
	L – 432/1.0	200
Shelf life – 18 months.	L – 433/1.0	500
DS-QA-ANTI-LUES		
Control sample for internal laboratory quality assessment of EIA detection of antibodies to <i>Treponema pallidum</i>	L – 531/1.0	24 vials
Shelf life –5 years.		
DS-EIA-ANTI-LUES-SUMMARY ANTIBODIES		
Enzyme immunoassay for detection of <i>Treponema pallidum</i> specific antibodies	L – 1822/1.0	96
	L – 1823/1.0	96 x 2
Shelf life – 15 months.	L – 1824/1.0	96 x 5

1.7. CHLAMYDIOSIS

DS-EIA-ANTI-CHLAMYDIA TR-G

Enzyme immunoassay for the detection of IgG antibodies to *Chlamydia trachomatis* X – 1151/1.0 96

Shelf life – 18 months.

DS-EIA-ANTI-CHLAMYDIA TR-A

Enzyme immunoassay for the detection of IgA antibodies to *Chlamydia trachomatis* X – 1251/1.0 96

Shelf life – 12 months.

DS-EIA-ANTI-CHLAMYDIA TR-M

Enzyme immunoassay for the detection of species-specific antibodies (IgM) to *Chlamydia trachomatis* X – 1351/1.0 96

Shelf life – 18 months.

1.8. HERPETIC INFECTIONS

Herpes Simplex virus types 1 and 2

DS-EIA-ANTI-HSV-1,2-G



Enzyme immunoassay for the detection of IgG antibodies to *Herpes simplex virus* types 1&2 H – 151/1.1 96

Shelf life – 18 months.

Product name	Catalogue code	Tests
--------------	----------------	-------

DS-EIA-ANTI-HSV-1,2-G-AVIDITY

Enzyme immunoassay for the determination of avidity index of IgG antibodies to *Herpes simplex virus* types 1&2 **H – 152/1.0** 48

Shelf life – 18 months.

DS-EIA-ANTI-HSV-2-G



Enzyme immunoassay for the detection of IgG antibodies to *Herpes simplex virus* type 2 **H – 251/1.1** 96

Shelf life – 18 months.

DS-EIA-ANTI-HSV-2-G-AVIDITY

Enzyme immunoassay for the determination of avidity index of IgG antibodies to *Herpes simplex virus* type 2 **H – 252/1.0** 48

Shelf life – 18 months.

DS-EIA-ANTI-HSV-1,2-M



Enzyme immunoassay for the detection of IgM antibodies to *Herpes simplex virus* types 1&2 **H – 2002/1.1** 96

Shelf life – 18 months.

DS-EIA-ANTI-HSV-1,2-G-FAST

Enzyme immunoassay for determination of IgG antibodies to *Herpes simplex viruses* types 1&2 **H – 1492/1.0** 96

Shelf life – 18 months.

DS-EIA-ANTI-HSV-1,2-M-FAST

Enzyme immunoassay for determination of IgM antibodies to *Herpes simplex viruses* types 1&2 **H – 1502/1.0** 96

Shelf life – 18 months.

Product name	Catalogue code	Tests
DS-EIA-ANTI-HSV-1-G-FAST		
Enzyme immunoassay for determination of IgG antibodies to <i>Herpes simplex virus</i> type 1	H – 1452/1.0	96
Shelf life – 18 months.		
DS-EIA-ANTI-HSV-2-G-FAST		
Enzyme immunoassay for determination of IgG antibodies to <i>Herpes simplex virus</i> type 2	H – 1462/1.0	96
Shelf life – 18 months.		
DS-EIA-ANTI-HSV-1-M-FAST		
Enzyme immunoassay for determination of IgM antibodies to <i>Herpes simplex virus</i> type 1	H – 1472/1.0	96
Shelf life – 18 months.		
DS-EIA-ANTI-HSV-2-M-FAST		
Enzyme immunoassay for determination of IgM antibodies to <i>Herpes simplex virus</i> type 2	H – 1482/1.0	96
Shelf life – 18 months.		
<i>Epstein-Barr Virus</i>		
DS-EIA-ANTI-EBV-VCA-G		
Enzyme immunoassay for the detection of specific IgG antibodies to <i>Epstein-Barr virus</i> capsid antigen (VCA)	H – 351/1.0	96
Shelf life – 24 months.		

Product name	Catalogue code	Tests
--------------	----------------	-------

DS-EIA-ANTI-EBV-VCA-G-AVIDITY

Enzyme immunoassay for the determination of avidity index of specific IgG antibodies to *Epstein-Barr virus* capsid antigen (VCA) **H – 352/1.0** 48

Shelf life – 24 months.

DS-EIA-ANTI-EBV-VCA-M

Enzyme immunoassay for the detection of specific IgM antibodies to *Epstein-Barr virus* capsid antigen (VCA) **H – 353/1.0** 96

Shelf life – 24 months.

DS-EIA-ANTI-EBV-EA-G

Enzyme immunoassay for the detection of IgG antibodies to *Epstein-Barr virus* early antigen **H – 354/1.0** 96

Shelf life – 24 months.

DS-EIA-ANTI-EBV-EBNA-G

Enzyme immunoassay for the detection of IgG antibodies to *Epstein-Barr virus* nuclear antigen **H – 355/1.0** 96

Shelf life – 24 months.

Cytomegalovirus

DS-EIA-ANTI-CMV-G



Enzyme immunoassay for the qualitative and quantitative detection of IgG antibodies to *Cytomegalovirus* (CMV) **CM – 151/1.1** 96

Shelf life – 18 months.

Product name	Catalogue code	Tests
--------------	----------------	-------

DS-EIA-ANTI-CMV-G-AVIDITY

Enzyme immunoassay for the determination of avidity index of IgG antibodies to *Cytomegalovirus* (CMV) **CM – 152/1.0** 48

Shelf life – 18 months.

DS-EIA-ANTI-CMV-M



Enzyme immunoassay for the detection of IgM antibodies to *Cytomegalovirus* (CMV) **CM – 153/1.1** 96

Shelf life – 18 months.

DS-EIA-ANTI-CMV-M (capture)

“Capture” enzyme immunoassay for the determination of IgM class antibodies to *Cytomegalovirus* **CM – 1592/1.0** 96

Shelf life – 13 months.

DS-EIA-ANTI-CMV-G-FAST



Enzyme immunoassay for determination of IgG antibodies to *Cytomegalovirus* (CMV) **CM – 1522/1.0** 96





Shelf life – 18 months.

DS-EIA-ANTI-CMV-M-FAST

Enzyme immunoassay for determination of IgM antibodies to *Cytomegalovirus* (CMV) **CM – 1512/1.0** 96

Shelf life – 18 months.

Product name	Catalogue code	Tests
1.9. TOXOPLASMOSIS		
DS-EIA-ANTI-TOXO-G		
Enzyme immunoassay for the qualitative and quantitative detection of IgG antibodies to <i>Toxoplasma gondii</i>	T – 151/1.1	96
Shelf life – 18 months.		
DS-EIA-ANTI-TOXO-G-AVIDITY		
Enzyme immunoassay for the determination of avidity index of IgG antibodies to <i>Toxoplasma gondii</i>	T – 152/1.0	48
Shelf life – 15 months.		
DS-EIA-ANTI-TOXO-M (capture)		
Enzyme immunoassay for the detection of IgM antibodies to <i>Toxoplasma gondii</i>	T – 1153/1.1	96
Shelf life – 18 months.		
DS-EIA-ANTI-TOXO-A		
Enzyme immunoassay for the detection of IgA antibodies to <i>Toxoplasma gondii</i>	T – 154/1.0	96
Shelf life – 24 months.		
DS-EIA-ANTI-TOXO-G-FAST		
Enzyme immunoassay for determination of IgG antibodies to <i>Toxoplasma gondii</i>	T – 1532/1.0	96
Shelf life – 18 months.		
DS-EIA-ANTI-TOXO-M-FAST		
Enzyme immunoassay for determination of IgM antibodies to <i>Toxoplasma gondii</i>	T – 1552/1.0	96
Shelf life – 18 months.		

Product name	Catalogue code	Tests
1.10. SARS		
DS-EIA-ANTI-SARS-CoV		
Enzyme immunoassay for the detection of antibodies to SARS – associated coronavirus	S – 151/1.0	96
Shelf life – 6 months.		
DS-EIA-ANTI-SARS-CoV-2		
		
Enzyme immunoassay for the detection of antibodies to SARS-CoV-2 (COVID-19)	S-2372/1.1	96
Shelf life – 12 months.		
DS-EIA-ANTI-SARS-CoV-2-G		
		
Enzyme immunoassay for the detection of IgG antibodies to SARS-CoV-2 (COVID-19)	S-2382/1.1	96
Shelf life – 12 months.		
DS-EIA-ANTI-SARS-CoV-2-G (S)		
		
Enzyme immunoassay for the detection of IgG antibodies to the SARS-CoV-2 spike protein	S-2442/1.1	96
Shelf life – 12 months.		
DS-EIA-ANTI-SARS-CoV-2-SPECTRUM		
		
Enzyme immunoassay for the detection of IgG, IgM, IgA antibodies to SARS-CoV-2 (COVID-19)	S-2431/1.1	48
Shelf life – 12 months.		

Product name	Catalogue code	Tests
--------------	----------------	-------

1.11. RUBELLA

DS-EIA-ANTI-RUBELLA-G



Enzyme immunoassay for the qualitative and quantitative detection of IgG antibodies to *Rubella virus* **Ru – 151/1.1** 96

Shelf life – 18 months.

DS-EIA-ANTI-RUBELLA-G-AVIDITY

Enzyme immunoassay for the determination of avidity index of IgG antibodies to *Rubella virus* **Ru – 152/1.0** 48

Shelf life – 18 months.

DS-EIA-ANTI-RUBELLA-M



Enzyme immunoassay for the detection of IgM antibodies to *Rubella virus* **Ru – 153/1.1** 96

Shelf life – 18 months.

DS-EIA-ANTI-RUBELLA-G-FAST

Enzyme immunoassay for determination of IgG antibodies to *Rubella virus* **Ru – 1582/1.0** 96

Shelf life – 18 months.

DS-EIA-ANTI-RUBELLA-M-FAST

Ru – 1542/1.0 96

Enzyme immunoassay for determination of IgM antibodies to *Rubella virus*

Shelf life – 18 months.

1.12. TICK-BORNE ENCEPHALITIS

DS-EIA-ANTI-TBEV-G

Enzyme immunoassay for the detection of IgG antibodies to Tick-borne encephalitis virus **K – 151/1.0** 96

Shelf life – 12 months.

DS-EIA-ANTI-TBEV-M

Enzyme immunoassay for the detection of IgM antibodies to Tick-borne encephalitis virus **K – 251/1.0** 96

Shelf life – 15 months.

1.13. ALLERGY MARKERS

DS-EIA-IgE TOTAL



Enzyme immunoassay for the quantitative determination of total immunoglobulin E concentration **ET – 151/1.1** 96

Shelf life – 15 months.

1.14. THYROID GLAND MARKERS

DS-EIA-THYROID-TSH



Enzyme immunoassay for the quantitative determination of thyrotropin concentration **TH – 351/1.1** 96

Shelf life – 18 months.

DS-EIA-THYROID-ANTI-TG



Enzyme immunoassay for the quantitative determination of anti-thyroglobulin autoantibodies concentration **TH – 451/1.1** 96

Shelf life – 18 months.

Product name	Catalogue code	Tests
DS-EIA-THYROID-ANTI-TPO		
Enzyme immunoassay for the quantitative determination of anti-thyroid peroxidase antibodies concentration	TH – 551/1.1	96
Shelf life – 18 months.		
DS-EIA-THYROID-T3 TOTAL		
enzyme immunoassay for the quantitative determination of total triiodothyronine concentration	TH – 152/1.1	96
Shelf life – 18 months.		
DS-EIA-THYROID-T3 FREE		
Enzyme immunoassay for the quantitative determination of free triiodothyronine concentration	TH – 151/1.1	96
Shelf life – 18 months.		
DS-EIA-THYROID-T4 TOTAL		
Enzyme immunoassay for the quantitative determination of total thyroxine concentration	TH – 252/1.1	96
Shelf life – 18 months.		
DS-EIA-THYROID-T4 FREE		
Enzyme immunoassay for the quantitative determination of free thyroxine concentration	TH – 2512/1.1	96
Shelf life – 18 months.		
DS-EIA-THYROID-THYROGLOBULIN		
Enzyme immunoassay for the quantitative determination of thyroglobulin concentration	TH – 651/1.1	96
Shelf life – 18 months.		

1.15. FERTILITY HORMONES AND PRENATAL SCREENING MARKERS**DS-EIA-GONADOTROPIN-FSH**

Enzyme immunoassay for the quantitative determination of follicle stimulating hormone concentration

RH – 151/1.1

96

Shelf life – 18 months.

DS-EIA-GONADOTROPIN-LH

Enzyme immunoassay for the quantitative determination of luteinizing hormone concentration

RH – 152/1.1

96

Shelf life – 18 months.

DS-EIA-PROLACTIN

Enzyme immunoassay for the quantitative determination of prolactin concentration

RH – 251/1.1

96

Shelf life – 18 months.

DS-EIA-GONADOTROPIN-HCG

Enzyme immunoassay for the quantitative determination of human chorionic gonadotropin (hCG) concentration

RH – 153/1.1

96

Shelf life – 18 months.

DS-EIA-STEROID-PROGESTERONE

Enzyme immunoassay for the quantitative determination of progesterone concentration

RH – 351/1.1

96

Shelf life – 18 months.

DS-EIA-STEROID-TESTOSTERONE

Enzyme immunoassay for the quantitative determination of testosterone concentration

RH – 353/1.1

96

Shelf life – 18 months.

1.16. PITUITARY-ADRENAL SYSTEM HORMONES

DS-EIA-STEROID-CORTISOL



Enzyme immunoassay for the quantitative determination of cortisol concentration **EH – 151/1.1** 96

Shelf life – 18 months.

1.17. TUMOR MARKERS

DS-EIA-PSA TOTAL



Enzyme immunoassay for the quantitative determination of total prostate specific antigen concentration **CH – 151/1.1** 96

Shelf life – 18 months.

DS-EIA-PSA FREE



Enzyme immunoassay for the quantitative determination of free prostate specific antigen concentration **CH – 152/1.1** 96

Shelf life – 18 months.

DS-EIA-AFP



Enzyme immunoassay for the quantitative determination of alpha-fetoprotein concentration **CH – 251/1.1** 96

Shelf life – 18 months.

DS-EIA-CA 125



Enzyme immunoassay for the quantitative determination of CA 125 antigen concentration **CH – 1832/1.1** 96

Shelf life – 15 months.

2. BACTERIOLOGY

2.1. ENTEROBACTERIA

BOICHEMICAL PLATE FOR ENTEROBACTERIA IDENTIFICATION (BPEI)

P – 131/1.0 20

Shelf life – 12 months.

DS-DIF-ENTERO-12

Biochemical assay for routine identification and interspecific differentiation of bacteria from *Enterobacteriaceae* family P – 731/1.0 24

Shelf life – 12 months.

DS-DIF-ENTERO-24

Biochemical assay for routine identification and interspecific differentiation of bacteria from *Enterobacteriaceae* family P – 1441/1.0 24

Shelf life – 12 months.

DS-DIF-SALMONELLA

Biochemical assay for routine identification and interspecific differentiation of bacteria from *Salmonella* genus P – 1431/1.0 24

Shelf life – 12 months.

DS-OXIDASE

Test for the detection of bacterial cytochrome oxidase PO – 132/1.0 50

Shelf life – 24 months.

DS-DIF-ENTERO-24 Code catalogue

P – 1571/1.0 1 brochure

Product name	Catalogue code	Tests
BPEI Code catalogue	P – 231/1.0	1 brochure

2.2. STAPHYLOCOCCI

BIOCHEMICAL PLATE FOR STAPHYLOCOCCUS IDENTIFICATION (BPSI)

Shelf life – 12 months.	P – 431/1.0	20
BPSI Code catalogue.	P – 531/1.0	1 brochure

DS-DIF-STAPHY-16

Biochemical assay for identification and interspecific differentiation of bacteria from *Staphylococcus* genus

P – 2141/1.0 30

Shelf life – 12 months.

DS-DIF-STAPHY-16 Code catalogue.	P – 2211/1.0	1 brochure
---	---------------------	-------------------

2.3. CORINEBACTERIA

DS-DIF-CORYNE

Biochemical assay for routine identification and interspecific differentiation of bacteria from *Corynebacterium* genus and determination of its toxigenic properties

P – 1031/1.0 12

Shelf life – 12 months.

DS-DIF-CORYNE (toxigenicity)

Biochemical assay for determination of bacteria from *Corynebacterium* genus toxigenic properties

P – 0610/1.0 40

Shelf life – 12 months.

2.4. NON-FERMENTATIVE BACTERIA

DS-DIF-NONFERM

Biochemical assay for routine identification and interspecific differentiation of gram-negative non-fermentative bacteria

PN – 732/1.0

24

Shelf life – 12 months.

DS-DIF-NONFERM Code catalogue**P – 1331/1.0**1 brochure

3. MYOCARDIAL INFRACTION EXPRESS DIAGNOSTICS

DS-ERYTHRO-MYOGLOBIN

Hemagglutination test for the detection of myoglobin

M – 131/1.0

60

Shelf life – 24 months.